

7. PROCESS SPEED

7.1 bizhub PRESS C7000/C7000P/C6000

Corresponding to the combination of the number of the stacked sheets and the coating of the output image, this machine has 5 types of the process speed.

Each of the high speed and middle speed has 2 types of process speed. The types are switched automatically depending on the environment temperature.

| | Plain No gloss | | Plain Glossed | |
|--------------------------------------------|-----------------------------------------------------------------------------------------|-------------------|-------------------|-------------------|
| Environment temperature Paper weight | 17 °C or more | Less than 17 °C | 17 °C or more | Less than 17 °C |
| 64g/m ² to 105g/m ² | 315mm/s (High1) | 300mm/s (High2) | 225mm/s (Middle1) | 208mm/s (Middle2) |
| 106g/m ² to 135g/m ² | 300mm/s (High2), 225mm/s (Middle1), or 208mm/s (Middle2) * Set by user speed setting | | 150mm/s (Low) | |
| 136g/m ² to 209g/m ² | 225mm/s (Middle1) | 208mm/s (Middle2) | | |
| 210g/m ² to 300g/m ² | 150mm/s (Low) | | | |

| | Coated No gloss | | Coated Glossed | |
|--------------------------------------------|-----------------------------------------------------------------------------------------|-------------------|-------------------|-------------------|
| Environment temperature Paper weight | 17 °C or more | Less than 17 °C | 17 °C or more | Less than 17 °C |
| 64g/m ² to 80g/m ² | - | | - | |
| 81g/m ² to 105g/m ² | 315mm/s (High1) | 300mm/s (High2) | 225mm/s (Middle1) | 208mm/s (Middle2) |
| 106g/m ² to 135g/m ² | 300mm/s (High2), 225mm/s (Middle1), or 208mm/s (Middle2) * Set by user speed setting | | 150mm/s (Low) | |
| 136g/m ² to 209g/m ² | 225mm/s (Middle1) | 208mm/s (Middle2) | | |
| 210g/m ² to 300g/m ² | 150mm/s (Low) | | | |

7.2 bizhub PRESS C6000

Corresponding to the combination of the number of the stacked sheets and the coating of the output image, this machine has 3 types of the process speed.

| Paper weight | Plain No gloss | Plain Glossed |
|--------------------------------------------|---------------------------------------------------------------------|-------------------|
| 64g/m ² to 105g/m ² | 300mm/s (High2) | 208mm/s (Middle2) |
| 106g/m ² to 135g/m ² | 300mm/s (High2) or 208mm/s (Middle2) * Set by user speed setting | 150mm/s (Low) |
| 136g/m ² to 209g/m ² | 208mm/s (Middle2) | |
| 210g/m ² to 300g/m ² | 150mm/s (Low) | |

| Paper weight | Coated No gloss | Coated Glossed |
|--------------------------------------------|---------------------------------------------------------------------|-------------------|
| 64g/m ² to 80g/m ² | - | - |
| 81g/m ² to 105g/m ² | 300mm/s (High2) | 208mm/s (Middle2) |
| 106g/m ² to 135g/m ² | 300mm/s (High2) or 208mm/s (Middle2) * Set by user speed setting | 150mm/s (Low) |
| 136g/m ² to 209g/m ² | 208mm/s (Middle2) | |
| 210g/m ² to 300g/m ² | 150mm/s (Low) | |